



Pan & Tilt Wi-Fi Camera

Outdoor protection made simpler and smarter

The C8c 2K⁺ basically covers all essential needs to fully enhance home outdoor security. It is a sharp eye to view panoramically in 2K+ pictures, leaving no blind spot behind even at dim night. Also as a smart brain, the C8c 2K+ detects and differs human, vehicle from other trivial objects further locks on a moving person and follow closely. It also comes packed with active defense, two-way communication, easy app control, and more useful features as a weatherproof outdoor camera.





360° Panoramic



Al-Powered Human / Vehicle Shape Detection



One-Click Return to Pre-Set Directions



Color Night Vision



Active Defense with Siren and Strobe Light¹



Weatherproof Design



H.265 Video Technology²



Smart Integration with Google Assistant & Amazon Alexa³



An eye for all-around protection in 2K⁺







A smart eye that locks on, zooms in and follows

When a human motion is detected, the C8c 2K⁺ will automatically rotate to track its movement and zoom in to record the activity. When in action, it makes it hard for your loved ones to stay out of sight.







Front Yard

Pin down the spots that matter to you most


No matter how complicated the tracking is, the camera always knows it's way back to your preferred viewing angle. You can pinpoint up to 12 angles via the EZVIZ App. Just click on your pre-set dots and the camera will automatically resume its place.




Garage
























Easy and flexible installation

Install the C8c 2K⁺ at the best location you found and then enjoy the perfect view.



- 1 The spotlights will not flash when the color night vision mode is enabled.
- 2 Data from EZVIZ Lab's test results under standard conditions. Will vary with the frequency and complexity of the activity captured, and other environmental factors.
- 3 Google Assistant is not available in certain languages and countries.
- 4 A local storage card must be purchased separately. The cloud storage service is only available in certain markets. Please verify the availability before making a purchase.
- 5 Data from EZVIZ Lab's test results in open environment. Will vary with the Wi-Fi frequency, camera location, the transfer technology, and other environmental factors.

Specifications cs-c8c-4MP

Camera

Image sensor 1/3" Progressive Scan CMOS

Shutter Speed Self-adaptive shutter

Lens 4mm@ F1.6, viewing angle: 44° (Vertical), 83°

(Horizontal), 100° (Diagonal)

PT Angle Pan: 350°, Tilt: 80°

Minimum Illumination 0.5 Lux @(F1.6, AGC ON), 0 Lux with IR (*data is

obtained from EZVIZ laboratories)

Lens Mount M12

Day & Night IR-cut filter with auto switch

DNR 3D DNR

WDR Digital WDR

Black & White Night 30m / 98ft

Video & Audio

Max. Resolution 2560 × 1440

Frame Rate Max: 30fps; Self-Adaptive during network transmission

Video Compression H.265 / H.264

H.265 Type Main Profile

Video Bit Rate Ultra-HD; Hi-Def; Standard. Adaptive bit rate.

Audio Bit Rate Self-Adaptive

Max. Bitrate 4Mbps

Network

Wi-Fi Standard IEEE802.11b, 802.11g, 802.11n

Frequency Range 2.4 GHz ~ 2.4835 GHz

Channel Bandwidth Supports 20 MHz

Security WPA-PSK / WPA2-PSK

Transmission Rate 11b: 11Mbps, 11g: 54Mbps,11n: 72Mbps

Wi-Fi Pairing AP pairing

Protocol EZVIZ Cloud Proprietary Protocol

Interface Protocol EZVIZ Cloud Proprietary Protocol

Wired Network RJ45 \times 1(10M/100M Adaptive Ethernet Port)

Storage

Local Storage MicroSD Card Slot (Up to 512GB)

Cloud Storage EZVIZ CloudPlay Storage

Function

Smart Alarm Al-Powered Human Shape Detection / Vehicle Shape

Detection / Motion Detection

Auto Tracking Supports

Customized Alert Area Supports

Two-way Talk Supports

Preset Locations Supports

General Function Anti-Flicker, Dual-Stream, Heart Beat,

Password Protection, Watermark

Specifications cs-c8c-4MP

General

Operating Conditions -30°C to 50°C (-22 °F to 122 °F), humidity 95%

or less (non-condensing)

IP Grade Weatherproof Design

Power Supply DC 12V / 1A

Power Consumption MAX. 12W

Dimensions $102.27 \times 128.61 \times 147.05 \text{ mm} (4.03 \times 5.06 \times 5.79 \text{ inch})$

Packaging Dimensions $140 \times 140 \times 192 \text{ mm} (5.51 \times 5.51 \times 7.56 \text{ inch})$

Weight Net Weight: 495 g (17.46 oz)

With Package: 805 g(28.39 oz)

In the box

- C8c 2K+ Camera
- Drill Template
- Screw Kit
- Waterproof Kit
- Power Adapter
- Regulatory Information
- Quick Start Guide

Certifications:

CE / UKCA / UL / WEEE / RoHS / REACH